



तिनाउ गाउँपालिका  
Tinau Rural Municipality

गाउँ कार्यपालिकाको कार्यालय  
Office Of The Rural Municipal Executive

पत्र संख्या /Letter No.:  
चलानी नं /Ref. No.:-

दिमान, पाल्पा  
Dobhan, Palpa  
स्था : २०७३ / Estd. २०१७ A.D.

लुम्बिनी प्रदेश, नेपाल  
Lumbini Province, Nepal

दररेट पेश गर्ने सम्बन्धी सूचना

प्रथम पटक प्रकाशित मिति २०८३।०५।०२

१.तिनाउ गाउँपालिका अन्तर्गत तपशिल बमोजिमको कार्य गर्न दररेट निर्माणका लागी सम्लग्न फाराम अनुसारको सिलबन्दी रुपमा पछि सम्म फरक नपर्ने गरी दररेट पेश गर्नका लागी सम्बन्धित फर्म/ कम्पनिको जानकारीको लागी यो सूचना प्रकाशित गरिएको छ ।

तपशिल

| क्र.स. | कार्य विवरण          | दररेट पेश गर्ने अन्तिम मिति | कै. |
|--------|----------------------|-----------------------------|-----|
| १      | स्यानिटरी प्याड खरिद | सूचनाको मितिले ७ दिन भित्र  |     |

२. दररेट पेश गर्ने फर्म/ कम्पनिले अनिवार्य रुपमा दररेट पेश गर्ने ब्यहोरा सम्बन्धमा लिखित निवेदन सहित नबिकरण भएको फर्म/ कम्पनी दर्ता प्रमाणपत्रको प्रतिलिपी,नबिकरण भएको ब्यवसाय दर्ता (निर्माण ब्यवसायी इजाजत प्रमाण पत्र) प्रमाणपत्रको प्रतिलिपी,मु.अ.क.दर्ता प्रमाणपत्रको प्रतिलिपी र आर्थिक वर्ष २०८१/८२ को करचुक्ता प्रमाणपत्रको प्रतिलिपी संलग्न गरि पेश गर्नुपर्नेछ ।

३. फाराम यस कार्यालयको Webside बाट समेत डाउनलोड गर्न सकिनेछ ।

दिनेश सारु

प्रमुख प्रशासकीय अधिकृत

प्रमुख प्रशासकीय अधिकृत



तिनाउ गाउँपालिका

## गाउँकार्यपालिकाको कार्यालय

सोमान पाल्पा लुम्बिनी प्रदेश नेपाल

कार्यालय कोड नं.: ८०१०५५५०३

दर्रेट मौक फारम



तिनाउ गाउँपालिका  
सोमान पाल्पा  
लुम्बिनी प्रदेश, नेपाल  
२०७३

प्रमाणित  
कार्यालय

कार्यक्रमको नाम : स्मार्टिटी प्याड खरिद

कार्यक्रम वर्ष : २०८३/८४

| सि.न. | सामानको नाम                                                                                            | Description of Goods                                                                                   | Particulars                                     | Requirements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Compliance | Supplier's Offer | ईकाइ | परिमाण | दर्रेट भ्याट बाहेक | बसेरपी भ्याट बाहेक | कैफियत |
|-------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------|------|--------|--------------------|--------------------|--------|
| १     | Sanitary Pad 300 mm $\pm$ 20mm length and 60 to 75 mm width, thickness 15 mm $\pm$ 2mm (ISO Certified) | Sanitary Pad 300 mm $\pm$ 20mm length and 60 to 75 mm width, thickness 15 mm $\pm$ 2mm (ISO Certified) | Type and physical finishing                     | Ultrathin with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.                                                                                                                                                                                                                          |            |                  | पकेट | १      |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Raw Material permitted                          | a. Absorbent filler: plant-based raw materials such as Airtaid Paper & Sap Paper; cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filler shall be of a good quality cotton or rayon knitted sleeve, gauze or Dry net with sufficient porosity to permit the assembled pad to meet absorbency requirements. |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Size                                            | Size including minimum 240 mm $\pm$ 20mm length and 60 to 75 mm width, thickness 15mm $\pm$ 2mm                                                                                                                                                                                                                                                                                                                                                                                               |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Absorbency                                      | The sanitary pad shall absorb at least 50 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.                                                                                                                                                                                                                                                                                                                                          |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Disposability                                   | Disposable pad with the covering removed, shall be immersed in 15 Liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.                                                                                                                                                                                                                                                                                                                            |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Color                                           | The product shall be white in color and shall be almost odourless.                                                                                                                                                                                                                                                                                                                                                                                                                            |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | PH Value                                        | Free from acid and alkali, PH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)                                                                                                                                                                                                                                                                                                                                                                   |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Hygiene testing requirement                     | Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus in accordance with IS 5887 (Part 2)                                                                                                                                                                                                                                                                                                                           |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Additional                                      | The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.                                                                                                                                                                                                                                                                                                                              |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Packaging Type                                  | At least 90% compostable pack, protecting package to product                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Packaging Size                                  | Minimum 8 pads per pack                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                  |      |        |                    |                    |        |
|       |                                                                                                        |                                                                                                        | Biodegradability of Compostability requirements | At least 90% degrade within 6 Months (testing is performed and conformed from recognized and approved laboratory)                                                                                                                                                                                                                                                                                                                                                                             |            |                  |      |        |                    |                    |        |